

# MAT 102: Ordinary Differential Equations

## Topic 3: Second Order Linear Ordinary Differential Equations

Dr. Anna Fome

2026-05-18

### Table of contents

<b>1</b>	<b>Tutorial Questions — Topic 3</b>	<b>1</b>
1.1	Section A: Linear Independence and the Wronskian . . . . .	1
1.2	Section B: Homogeneous Equations — Constant Coefficients . . . . .	2
1.3	Section C: Method of Undetermined Coefficients . . . . .	3
1.4	Section D: Variation of Parameters . . . . .	4
1.5	Section E: Initial and Boundary Value Problems . . . . .	4
1.6	Section F: Applications . . . . .	5

### 1 Tutorial Questions — Topic 3

---

#### 1.1 Section A: Linear Independence and the Wronskian

**Q1.** Compute the Wronskian of each pair of functions and determine whether they are linearly independent:

(a)  $y_1 = e^{3x}, y_2 = e^{-x}$

(b)  $y_1 = \cos 3x, y_2 = \sin 3x$

(c)  $y_1 = x^2, y_2 = x^3$

(d)  $y_1 = e^x, y_2 = e^{x+2}$

(e)  $y_1 = e^{2x} \cos x, y_2 = e^{2x} \sin x$

(f)  $y_1 = 1 + x, y_2 = 1 - x$

---

**Q2.** Verify that  $y_1$  and  $y_2$  are solutions of the given ODE, compute their Wronskian, and write the general solution.

(a)  $y_1 = e^{-2x}$ ,  $y_2 = e^{3x}$ ; ODE:  $y'' - y' - 6y = 0$

(b)  $y_1 = x$ ,  $y_2 = xe^x$ ; ODE:  $x^2y'' - (x^2 + 2x)y' + (x + 2)y = 0$ ,  $x > 0$

(c)  $y_1 = e^x \cos 2x$ ,  $y_2 = e^x \sin 2x$ ; ODE:  $y'' - 2y' + 5y = 0$

---

## 1.2 Section B: Homogeneous Equations — Constant Coefficients

**Q3.** Solve the following homogeneous ODEs:

(a)  $y'' - 7y' + 12y = 0$

(b)  $y'' + 6y' + 9y = 0$

(c)  $y'' - 4y' + 13y = 0$

(d)  $y'' - 9y = 0$

(e)  $y'' + 2y' + y = 0$

(f)  $4y'' - 4y' + y = 0$

(g)  $y'' + \omega^2y = 0$  (simple harmonic oscillator,  $\omega > 0$ )

(h)  $y'' + 2y' - 8y = 0$

---

**Q4.** Solve the IVPs:

(a)  $y'' + 4y = 0$ ,  $y(0) = 3$ ,  $y'(0) = -2$

(b)  $y'' - 2y' - 3y = 0$ ,  $y(0) = 2$ ,  $y'(0) = -2$

(c)  $y'' + 6y' + 9y = 0$ ,  $y(0) = 2$ ,  $y'(0) = 1$

(d)  $y'' - 4y' + 5y = 0, \quad y(0) = 1, y'(0) = 0$

(e)  $y'' - 6y' + 9y = 0, \quad y(0) = 0, y'(0) = 2$

---

### 1.3 Section C: Method of Undetermined Coefficients

**Q5.** Find a particular solution  $y_p$  using undetermined coefficients:

(a)  $y'' - y' - 2y = 3e^{2x}$

(b)  $y'' + 4y = 2 \cos x$

(c)  $y'' + 2y' - 3y = x^2$

(d)  $y'' + y' = 2x^2 - 1$

(e)  $y'' - y = e^x \sin x$

(f)  $y'' + y = \sin x$  (*watch for modification rule*)

(g)  $y'' - 2y' = 4x + 2$

---

**Q6.** Solve the following non-homogeneous ODEs completely (find  $y_h + y_p$ ):

(a)  $y'' - 5y' + 6y = 2e^x$

(b)  $y'' + 4y' + 4y = 3xe^{-2x}$  (*modification rule applies!*)

(c)  $y'' - 4y = 4x^2 - 2$

(d)  $y'' + 3y' + 2y = \cos x + \sin x$

(e)  $y'' - y = e^x + e^{-x}$  (*modification rule applies twice!*)

---

## 1.4 Section D: Variation of Parameters

**Q7.** Use variation of parameters to find the general solution:

(a)  $y'' + y = \tan x$

(b)  $y'' + 4y = 4 \csc 2x$

(c)  $y'' - 2y' + y = \frac{e^x}{x^2}, \quad x > 0$

(d)  $y'' - y = \frac{2}{1 + e^x}$

(e)  $y'' + 3y' + 2y = \frac{1}{1 + e^x}$

---

**Q8.** Solve the following IVPs using variation of parameters:

(a)  $y'' - y = 2e^x, \quad y(0) = 0, y'(0) = 1$

(b)  $y'' + 4y = \sec 2x, \quad y(0) = 0, y'(0) = 0$

---

## 1.5 Section E: Initial and Boundary Value Problems

**Q9.** Solve the IVPs completely:

(a)  $y'' - 3y' + 2y = 4e^x, \quad y(0) = 1, y'(0) = 1$

(b)  $y'' + 4y' - 5y = 3e^{2x}, \quad y(0) = 2, y'(0) = 1$

(c)  $y'' + y = x \cos x, \quad y(0) = 0, y'(0) = 1$  (*Hint: use undetermined coefficients — modification needed*)

---

**Q10.** For each BVP, determine whether there is no solution, a unique solution, or infinitely many solutions. Find the solution if it exists.

(a)  $y'' + y = 0, \quad y(0) = 0, y(\pi) = 0$

(b)  $y'' + y = 0, \quad y(0) = 1, y'(\pi) = 0$

(c)  $y'' + 4y = 0, \quad y(0) = 0, y(\pi) = 2$

(d)  $y'' + 4y = 0, \quad y(0) = 0, y(\pi/2) = 0$

(e)  $y'' + 9y = 0, \quad y(0) = 0, y(\pi/3) = 1$

---

## 1.6 Section F: Applications

**Q11.** A spring-mass system has mass  $m = 2$  kg and spring constant  $k = 18$  N/m.

(a) Find the natural frequency  $\omega_0$  and the period of oscillation.

(b) If  $x(0) = 1$  m and  $x'(0) = 3$  m/s, find  $x(t)$ .

(c) Write the solution in the form  $R \cos(\omega_0 t - \delta)$  and find the amplitude  $R$  and phase  $\delta$ .

---

**Q12.** A spring-mass-dashpot system has  $m = 1$  kg,  $b = 4$  kg/s,  $k = 4$  N/m, with  $x(0) = 1$  m and  $x'(0) = 0$ .

(a) Write the ODE.

(b) Solve completely and classify the damping.

(c) Find the time at which the mass first returns to the equilibrium  $x = 0$ .

---

**Q13.** A mass of 0.5 kg is attached to a spring with  $k = 2$  N/m. The system has a damping force of  $2x'$  N. An external force  $F(t) = 3 \cos 3t$  N is applied. Initially  $x(0) = 0$ ,  $x'(0) = 0$ .

- (a) Write the IVP.
  - (b) Find the complementary function  $x_h$ .
  - (c) Find the particular solution  $x_p$  (steady-state response).
  - (d) Solve the IVP completely.
- 

**Q14.** An RLC series circuit has inductance  $L = 1$  H, resistance  $R = 2 \Omega$ , and capacitance  $C = \frac{1}{2}$  F. The EMF is  $E(t) = 10 \sin t$  V. Initially  $q(0) = 0$ ,  $i(0) = q'(0) = 0$ .

- (a) Write the ODE for  $q(t)$ .
  - (b) Solve for  $q(t)$ .
  - (c) Find the current  $i(t) = q'(t)$ .
-